

Serial No. 7266

Date of first receipt and filing in State Engineer's office DEC -2 1924
Returned to applicant for correction _____
Corrected application filed _____

1. The source of the proposed appropriation is Thomas Spring
Name of stream, lake, or other source

2. The amount of water applied for is 0.025 second-feet.
One-second-foot equals 40 miners' inches

3. The water to be used for Stockwatering
Irrigation, power, mining, manufacturing, domestic, or other use

4. The water is to be diverted from its source at the following point:
S. 85°W. 1900 ft. from the S.W. Cor. N.W¹/₄ Sec. 19, T.22 N., R.70 E.
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land, it should be so stated.
M.D.B. & Mer.

(a) Number of acres to be irrigated is _____

(b) Description of land to be irrigated _____ Describe by legal subdivision or if on unsurveyed land it should

(c) Irrigation will begin about _____ and end about _____
Month Month
_____, of each year.
Month

(d) Power to be developed is _____ horsepower.

(e) Works to be located At the point of diversion
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.

(g) Remarks _____

DESCRIPTION OF PROPOSED WORKS

An earthen reservoir 70 ft. long 50 ft. wide 4 ft. deep

State manner in which water is to be diverted; whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$300⁰⁰
6. Estimated time required to construct works 60 days
7. Remarks About 3000 sheep and cattle will water at the reservoir
at various times during the entire year

Wade H. Parrish Applicant.

By Harry A. Rager

Compared

Agent.

This sheet inspected

Engineer.
PROTESTED FEBRUARY 2, 1925, BY ROSETTA GEORGETTA.

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, deny and do hereby ~~grant~~ the same, subject to the following limitations and conditions:

On the grounds that the applicant or his successor in interest failed to submit the information requested and the approval of this application without the information requested would be detrimental to the public welfare.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this 22nd day
of August, 1969

State Engineer.